Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	("5953243" "6282689" "6330637" "6330698").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:01
L2	8	1 and (visual\$4 locat\$4 memory module board control\$4 slot seat\$4 beacon turn\$4 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:25
L3	0	2 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:08
L4	0	2 and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:08
L5	0	2 and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:08
L6	2	2 and locat\$4 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:08
L7	2	2 and loca\$5 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:09
L8	0	7 and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:09
L9	0	1 and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2005/11/22 21:09
L10	1136	visual\$4 loca\$5 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:12

L11	16	10 and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:10
L12	11	11 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:10
L13	6	12 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:11
L14	205160	loca\$5 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:12
L15	1685	14 and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:12
L16	243	15 and error correction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:12
L17	103	16 and visual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:13
L18	11	17 and loca\$5 memory module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:22
L19	11	18 and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:22
L20	. 11	19 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:22

L21	11	20 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:22
L22	7	21 and electronic communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:25
L23	0	2 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/11/22 21:25
L24	7	22 and (visual\$4 locat\$4 memory module board control\$4 slot seat\$4 beacon turn\$4 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 21:26
L25	7	24 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/22 21:26